


### 25249-FBA





UPC Code: 07847716359

Country of Origin: Mexico - \*Eligible for ARRA funded projects > \$7,443,000







## **Straight Blade Wiring Devices**

#### **Brand Features**

Leviton's line of Heavy-Duty Specification Grade receptacles are designed and manufactured to withstand the most demanding environments. Available in a wide variety of configurations, including isolated ground, tamper-resistant, etc., these Commercial Grade devices are the electrical contractor's choice for use in hotels, schools, hospitals and commercial office buildings.

#### **Item Description**

15 Amp, 125 Volt, NEMA 5-15R, 2P, 3W, Floor Mtg Duplex Receptacle, Straight Blade, Commercial Grade, Self Grounding, Floor Box Receptacle Assembly, Back & Side Wired, Steel Strap - IVORY

#### **Technical Information**

AC Horsepower Ratings

At Rated Voltage: 1/2 HP

Electrical Specifications
Grounding: Self-Grounding
Amperage: 15 Amp

Voltage: 125 Volt NEMA: 5-15R Pole: 2 Wire: 3

Dielectric Voltage: Withstands 2000V per

JL498

Current Limiting: Full Rated Current Temperature Rise: Max 30C after 50 cycles OL at 150 percent rated current

Environmental Specifications
Flammability: Rated V-2 per UL94
Operating Temperature: -40C to 60C

Material Specifications

Terminal Screws: Brass 10-32

Face Material: Nylon Body Material: Nylon

Line Contacts: Brass Triple-Wipe .031

Thick

Terminal Screws: Brass 8-32 Grounding Screw: Brass 8-32 Strap Material: Zinc-Plated Steel Clamp Nuts: Zinc-Plated Steel Ground Clips: Brass-Plated

Floorplate Material: Solid Brass 0.060 In

Thick .

Color: Ivory

Mechanical Specifications

Terminal ID: Brass-Hot, Green-Ground,

White-Neutral

Terminal ID: Brass-Hot, Green-Ground,

Silver-Neutral

Terminal Accom.: 14-10 AWG

Product ID: Ratings are permanently

marked on device

Termination: Back & Side

**Product Features** 

**Grounding:** Self Grounding

NEMA: 5-15R Color: Ivory

Standards and Certifications


NEMA: WD-6 ANSI: C-73

UL498: File E13399


CSA C22.2 No. 42: File E152105

**NOM:** 057

Warranty: 10 Year Limited



# Wiring Diagram



5-15R

#### SPECIFICATION SUBMITTAL

JOB NAME:	CATALOG NUMBERS:	
JOB NUMBER:		

**Leviton Manufacturing Co., Inc.** 201 North Service Road, Melville, NY 11747

Telephone: 1-800-323-8920 · FAX: 1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.T. Monday-Friday): 1-800-824-3005

**Leviton Manufacturing of Canada, Ltd.** 165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: 1-800-469-7890 · FAX: 1-800-824-3005 · www.leviton.com/canada

Leviton S. de R.L. de C.V.

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52)5386-1797 · www.leviton.com.mx

Visit our Website at: www.leviton.com

© 2012-2015 Leviton Manufacturing Co., Inc. All rights reserved. Subject to change without notice.

Leviton has a global presence.

If you would like to know where your local Leviton office is located please go to: www.leviton.com/international/contacts/

\*Buy American Compliant Logo -- The American Recovery And Reinvestment Act of 2009 ("ARRA") provides federal grants and loans for projects throughout the country. Section 1605 of the Act, named the "Buy American" provision, requires that certain materials and manufactured products used in projects funded by the Act be manufactured in the United States. The appearance of the Recovery Act Logo in relation to a Leviton product is only intended to reflect that such product may be used in an ARRA funded project. It does not mean that such product or Leviton is sponsored or endorsed by, or that Leviton receives funds from, the federal government or the Recovery Accountability and Transparency Board. Nothing in Leviton's use of the logo is intended to suggest anything regarding the requirements for funding under ARRA.

